

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	200	(((soft-limit\$5 softlimit\$5 (soft adj2 limit\$5)) same (hard-limit\$5 hardlimit\$5 (hard adj2 limit\$5))) and (exceed\$3 over above beyond high\$3 low\$3 below under)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 10:09
L2	121	(((soft-limit\$5 softlimit\$5 (soft adj2 limit\$5)) same (hard-limit\$5 hardlimit\$5 (hard adj2 limit\$5))) same (exceed\$3 over above beyond high\$3 low\$3 below under)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 11:04
L6	2	("6438704").URPN.	USPAT	OR	ON	2004/12/09 12:10
L7	2	I6 and (((soft-limit\$5 softlimit\$5 (soft adj2 limit\$5)) (hard-limit\$5 hardlimit\$5 (hard adj2 limit\$5))) (exceed\$3 over above beyond high\$3 low\$3 below under) threshold limit\$3)	USPAT	OR	ON	2004/12/09 12:13
L8	20	("4183083" "4388688" "4481583" "4551812" "4631674" "4736318" "4989133" "5193187" "5291599" "5325525" "5375202" "5463775" "5517643" "5564015" "5615121" "5623404" "5668942" "5774718" "5987492" "6108683").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/09 12:12
L9	20	I8 and (((soft-limit\$5 softlimit\$5 (soft adj2 limit\$5)) (hard-limit\$5 hardlimit\$5 (hard adj2 limit\$5))) (exceed\$3 over above beyond high\$3 low\$3 below under) threshold limit\$3)	USPAT	OR	ON	2004/12/09 12:14
L10	18	I8 and (((soft-limit\$5 softlimit\$5 (soft adj2 limit\$5)) (hard-limit\$5 hardlimit\$5 (hard adj2 limit\$5))) threshold limit\$3)	USPAT	OR	ON	2004/12/09 12:26
L11	1	(US-6515963-\$).did.	USPAT	OR	ON	2004/12/09 12:26
L12	12	("5088032" "5224099" "5359592" "5473607" "5530958" "5561663" "5708659" "5875442" "5893120" "5963977" "6094712" "6263333").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/09 12:26
L13	10	I12 and (((soft-limit\$5 softlimit\$5 (soft adj2 limit\$5)) (hard-limit\$5 hardlimit\$5 (hard adj2 limit\$5))) threshold limit\$3)	USPAT	OR	ON	2004/12/09 12:33

L14	8	("6515963").URPN.	USPAT	OR	ON	2004/12/09 12:33
L15	8	l14 and (((soft-limit\$5 softlimit\$5 (soft adj2 limit\$5)) (hard-limit\$5 hardlimit\$5 (hard adj2 limit\$5))) threshold limit\$3)	USPAT	OR	ON	2004/12/09 14:48
L16	151	((resource memor\$3 disk) near4 allocat\$3) same ((plurality multiple multi) near4 (watermark (water adj mark) quota threshold limit\$3))	USPAT	OR	ON	2004/12/09 14:52
L17	137	l16 and (denying denial refus\$3 allow\$3 grant\$3 authoriz\$7 permi\$5)	USPAT	OR	ON	2004/12/09 14:53
L18	29	l16 same (denying denial refus\$3 allow\$3 grant\$3 authoriz\$7 permi\$5)	USPAT	OR	ON	2004/12/09 15:45
L19	2	("6092163" "6457142") .pn.	USPAT	OR	ON	2004/12/09 15:46



Web Images Groups ^{New} News Froogle [more »](#)

"hard-limit" and "soft-limit" and allocation

Search

[Advanced Search](#)
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web

Results 211 - 220 of about 870 for "hard-limit" and "soft-limit" and allocation. (1.21 seconds)

[MAINTAINERS | 4 drivers/scsi/Kconfig | 52 ++++----- drivers/scsi ...](#)

... This is a **soft limit** that cannot + exceed ... value is used as a compiled-in **hard limit**. ...

[SYM_OPT_BUS_DMA_ABSTRACTION */ - /* Actual memory allocation routine for ...](#)

[www.kernel.org/.../kernel/people/akpm/patches/ 2.6/2.6.0-test8/2.6.0-test8-mm1/broken-out/sym-2.1.18f.patch - 43k -](#)

[Cached](#) - [Similar pages](#)

[\[PDF\] Bug fixes and changes in 4.2BSD July 28, 1983 Notable improvements](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... a **soft limit** are warned and if, after three login sessions, their disk usage has

not dropped below the **soft limit**, their **soft limit** is treated as a **hard limit**. ...

[roguelife.org/~fujita/ COOKIES/HISTORY/4 2BSD/uchanges.pdf - Similar pages](#)

[\[More results from roguelife.org \]](#)

[Notes on the 41st IETF meeting](#)

... 2 prefixes per domain, around 50% global **allocation** (70% per ... you get; If you limit,

is it a **hard limit** (check when receiving claim) or a **soft limit** (let the ...

[www.scimitar.terena.nl/standardisation/ reports/ETF41_Perkins.html - 84k - Cached - Similar pages](#)

[Bug fixes and changes in 4.2BSD July 28, 1983](#)

... has not dropped below the **soft limit**, their **soft limit** is treated as a **hard limit**. ...

administrators to control users' disk space and file **allocation** on a ...

[www.transbay.net/~enf/ lore/unix/bsd/4.2-user-changes.html - 77k - Cached - Similar pages](#)

[\[PDF\] Command Reference](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Page 1. Command Reference June, 2001 601343 Rev A Page 2. Trademark Notice

AMASS, DataMgr, EMASS, FileServ, and VolServ are either ...

[www.adic.com/us/collateral/omFsvs44CommandReference.pdf - Similar pages](#)

[\[PDF\] Command Reference](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Page 1. Command Reference FileServ Version 4.3 February, 2001 600717 Rev

A Page 2. Trademark Notice AMASS, DataMgr, EMASS, FileServ ...

[www.adic.com/us/collateral/omFsvs43CommandReference.pdf - Similar pages](#)

[\[More results from www.adic.com \]](#)

[oreilly.com -- Online Catalog: System Performance Tuning](#)

... H[Top] HANDSPREAD parameter, 111, 236 **hard limit**, 72, 103 ... drawbacks to, 184 reporting

memory **allocation**, 107 STREAMS ... socket full drops, 195 **soft limit**, 72, 103 ...

[www.oreilly.com/catalog/spt/lnx.html - 65k - Cached - Similar pages](#)

[linux-2.6.7-e15/include/linux/ckrm_classqueue.h 1969-12-31 19:00 ...](#)

... everybody reached the **soft limit** + if (old_surplus ... siblings + * the re-allocation

goes downward ... following like for **hard limit** support */ + // update_ckrm_idle ...

[ckrm.sourceforge.net/downloads2/cpu.ckrm-e15.v2.patch - 89k - Cached - Similar pages](#)

[\[PDF\] / _ 38-39 348 ... 125 307 315 327 339-340 345 621 ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)


... sorting, 224 mbuf storage-management, 447–448 for physical I/O, 221 TCP , 534–541
TCP slow-start, 550–554 Allman, Eric, xxvii **allocation** descriptor, 457 ...
www.awprofessional.com/content/images/0201702452/index/mckusick_index.pdf - [Similar pages](#)

[PS] [PB Portable Batch SystemS](#)

File Format: Adobe PostScript - [View as Text](#)

... 3.3.6. Resource **Allocation** and Limits Each site will ... is sent to the job when the **hard**
limit is reached ... It is also preferred that the **soft limit** be adjustable by ...

laurel.datsi.fi.upm.es/~rpons/openpbs/req.ps - [Similar pages](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [14](#) [15](#) [16](#) [17](#) [18](#) [19](#) [20](#) [21](#) [22](#) [23](#) [24](#) [25](#) [26](#) [27](#) [28](#) [29](#) [30](#) [31](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2004 Google


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [more »](#)

[Advanced Search](#)
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web

Results 111 - 120 of about 870 for "hard-limit" and "soft-limit" and allocation. (0.97 seconds)

Tuning System Resource Limits

... The **allocation** and deallocation of vnodes is handled ... a process reaches the open-max-**soft limit**, a warning ... process reaches the open-max-**hard limit**, the process ...
[h30097.www3.hp.com/docs/base_doc/DOCUMENTATION/V40F_HTML/AQ0R3GTE/CHLMTSXX.HTM](#) - 35k -
[Cached](#) - [Similar pages](#)

[[More results from h30097.www3.hp.com](#)]

System Administration

... of a file system, the file storage-**allocation** policy cannot ... When a **hard limit** is reached, no more disk space ... The **soft limit** may be exceeded for a period of ...
[www.cs.arizona.edu/computer.help/policy/DIGITAL_unix/AA-PS2RD-TET1_html/maint8.html](#) - 81k - [Cached](#) - [Similar pages](#)

Parameters

... MINRESOURCE Specifies the **allocation** method used by the ... Integer: 0 - INFINITY] **Hard limit** specifying the ... 0 to MAXJOBPERACCOUNTCOUNT] **Soft limit** specifying the ...
[anustf.anu.edu.au/~dbs900/PBS/Mauli/parameters.html](#) - 46k - [Cached](#) - [Similar pages](#)

The GNU C Library - Concept Index

... multiple signals; hangup signal; **hard limit**; hard link; ... sockets, listening; sockets, server actions; **soft limit**; ... static memory **allocation**; static storage class; STATUS ...
[www.tnt.uni-hannover.de/~soft/case/lang/c/libc/libc_39.html](#) - 62k - [Cached](#) - [Similar pages](#)

stdin: Re: Problems with compiling/executing atm program on Sun

... above solution only addresses > the "**soft limit**", which sets the max allowed stack size to the "**hard limit**". ... is to make the default memory **allocation** for local ...
[www.cgd.ucar.edu/cms/cmn3/cmn-users/1999/0010.html](#) - 7k - [Cached](#) - [Similar pages](#)

[[More results from www.cgd.ucar.edu](#)]

Glossary

... scheduling **allocation** domain. ... **soft limit**. ... limitation established for each process that the process may set to any value less than or equal to the **hard limit**. ...
[www.opengroup.org/onlinepubs/007908799/xbd/glossary.html](#) - 101k - Dec 7, 2004 - [Cached](#) - [Similar pages](#)

UNIX Filesystem Administration

... this gives you good granularity for space **allocation** across different ... there is no grace period, the **soft limit** effectively becomes the **hard limit**. ...
[www.informit.com/articles/article.asp?p=29743&seqNum=5](#) - 43k - [Cached](#) - [Similar pages](#)

Stable release 2.2.0 (31 August 2004) -- CHANGES RELATIVE TO 2.0.0 ...

... as best as possible - the **hard limit** is not ... should stop reductions in the **soft limit** causing assertions ... reserved fd>) 73902 Shadow memory **allocation** seems to ...
[developer.kde.org/~sewardj/docs-2.2.0/NEWS.txt](#) - 29k - [Cached](#) - [Similar pages](#)

The GNU C Library - Concept Index


... multiple signals; hangup signal; **hard limit**; hard link; ... sockets, listening; sockets, server actions; **soft limit**; ... static **allocation**; STATUS character; status codes ...
[www.la.pw.edu.pl/~wu/ek/dokumentacja/gnu/libc/libc_33.html](#) - 48k - [Cached](#) - [Similar pages](#)

[PDF] [Delivering on Service Level Agreements for Enhanced Customer ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... limits to ensure port availability A **hard limit** is a ... a premium for ports above their **soft limit**, unlimited extra ... Offer regional port **allocation** In all of the ...

www.bridgewatersystems.com/document_library/primers/Delivering_on_Service_Level_Agreements.pdf - [Similar pages](#)



Result Page: [Previous](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [14](#) [15](#) [16](#) [17](#) [18](#) [19](#) [20](#) [21](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2004 Google